

0500 Pliers set 3 pcs, MATADOR 0500



0500 Pliers set 3 pcs, MATADOR 0500

Beschreibung:

The country needs new pliers.

With multi-component handle and numerous special functions.

The practical set with the **most important** pliers:
combination pliers 180 mm, **side cutters** 180 mm and **flat round pliers** with straight/angled jaws 205 mm .

The
new MATADOR pliers with the **3Ksoft-GRIP cover** convey an increased grip when working due to the 3 components . The
waisted handle shape and the combination of different and environmentally friendly materials allow the pliers to lie optimally
in the hand. The **ergonomically shaped** 3KsoftGRIP, equipped with differently soft grip zones, ensures **low-fatigue** working .
Safety is increased by an **optimized slip protection** and an eyelet for the optional attachment of retaining clips when working
on roofs, scaffolding and building construction.

Combination pliers:
For gripping, cutting and holding. Cuts hard and soft wires. Cutting additionally **inductively hardened**. Asymmetrical gripping
surfaces for better grip on the workpiece. Gripping zones for flat and round material. With nail & wire holder and **integrated
ring wrench**. Optimum lever ratio for easy and **low-fatigue** work

Side cutter:
For cutting hard and soft wires. Precision cutting for the finest wires. Cutting additionally **inductively hardened**. Cutting
hardness approx. 62 HRC. Power industry with optimal lever ratio for easy and low-fatigue work. With **ergonomically shaped**
3-component handle. DIN ISO 5749.Flat

round pliers:
For holding, gripping, bending and cutting work. Available in straight or angled form. For cutting hard and soft wires. With
cutting edge and burner hole. Cutting additionally **inductively hardened**. Toothed gripping surfaces. With long, flat-round
jaws. **Integrated ring wrench**. With **ergonomically** shaped 3-component handle. DIN / ISO 5745.

Technische Daten

Manufacturer-Number:	05009030M
EAN:	4040670000000

0500 Pliers set 3 pcs, MATADOR 0500