

L-Keys / Screwdrivers.

Be a MATADOR.



Content Screwdriver.

Page Article group



L-Key Wrenches.

153	L-Key Wrenches (Hexagon)
154	L-Key Wrenches set (Hexagon), Minis
154	L-Key Wrenches set (Hexagon), on ring
154	L-Key Wrenches set (Hexagon), in slide box
155	L-Key Wrenches set (Hexagon), in metal holder
156	L-Key Wrenches set (Hexagon), in holder
157	L-Key Wrenches (Hexagon), long type
157	L-Key Wrenches (Hexagon), long type, Minis
158	L-Key Wrenches (Hexagon), long type, in holder
159	L-Key Wrenches (Hexagon), long, ball point head
160	L-Key Wrenches set (hexagon), long, ball point head, in holder
161	L-Key Wrenches (TORX®), in slide box
161	L-Key Wrenches (TORX®), in holder
161	L-Key Wrenches (TORX®), ball point head, in holder
162	2C-T-grip-L-Key Wrenches (Hexagon)
163	2C-T-grip-L-Key Wrenches set (Hexagon)
163	2C-T-grip-L-Key Wrenches (TORX®)
163	2C-T-grip-L-Key Wrenches set (TORX®)



2C-Screwdriver.

165	2C-Screwdriver (Slot)
166	2C-Screwdriver (PH)
166	2C-Screwdriver (PZ)
166	Offset Screwdrivers
167	2C-Screwdriver (TORX®)
167	Screwdriver, short (Slot)
167	Screwdriver, short (PH)



Screwdriver with striking cap.

168	Screwdrivers with wooden handle (Slot)
169	Screwdrivers with wooden handle (Cross recess PH)

Page Article group



Screwdriver sets.

170	2C-Screwdriver set L
170	2C-Screwdriver set XL
171	2C-Screwdriver set (TORX®)
171	Wooden handle Screwdriver set



2C-Precision screwdriver.

172	2C-Precision screwdriver (Slot)
172	2C-Precision screwdriver (PH)
173	2C-Precision screwdriver (TORX®)
173	2C-Precision screwdriver set
173	2C-Precision screwdriver set (TORX®)



Impact Screwdriver and Bits.

174	Mini Screwdriver 4in1
174	Reversible Screwdriver
175	Hand Impact Screwdriver Set
176	Hex Power Shank
176	Hex Power Shank
176	Hex Power Shank
176	Bitholder



Bitbox Torsion.

177	Bit Assortment Torsion
-----	------------------------



Classic L-Key Wrenches for quick mounting.

Short or long pattern. With or without ballpoint. Single keys or key sets.



The screwdrivers for socket head screws.

Socket head screws with hexagon socket or TORX[®] profile belong to the most used screw connections in special engineering and furniture industry.



The fitting L-Key Wrenches are reasonably priced and compact in their dimensions and must not be missing in any tools set. Due to the fact that nothing is more nerve-stretching than the search for a single allen key in a tool box, practical assortments have established:

Single key or key set. It's your choice.

The ring for short type L-Key Wrenches holds the keys together but single keys can easily be taken out.

Besides the clear tool arrangement the metal holder has the advantage that different working positions are possible and that the lever can be prolonged for increased force action.

In the classic slide box the allen key are arranged clearly and stored practically dust-free.

Completely new is the MATADOR softGRIP holder: Its soft material makes it possible to quickly take out the required size. Thanks to its ergonomic design the holder is also perfectly suitable for quick action as the keys can also be used without being taken out.

Professional quality for enduring success.

Even though L-Key Wrenches are relatively simple tools there are some critical quality features that determine the lifetime and service-ability of the keys:

Since many years MATADOR uses a special Chrome Vanadium alloy for L-Key Wrenches in order to realize higher tightening or loosening torques.

Fully automatic CNC machines guarantee tight tolerances and go easy on the screw head. All edges are chamfered so that the L-Key Wrenches can more easily be inserted into the screw head. This is especially advantageous in case of worn out screws.

Proven production technologie.

The L-Key Wrenches are Fully hardened and instead of a simple laser marking they are provided with a durable stamping from the size of 3 mm.

The final full-galvanic treatment during which the L-Key Wrenches are nickel-plated and chrome-plated ensures a long-lasting corrosion protection.




Chamfered edges for easy inserting into the screw head


L-Key Wrenches (Hexagon)

- L-Key Wrenches for inside hexagon socket screws, short type
- Fully hardened
- Standards: Similar to ISO 2936 (DIN 911)
- Material: Chrome Vanadium

- Surface: Matt chrome finish



Art. Code	mm	l mm	l1 mm	g	
0440 0015	1,5	47	14	1	10
0440 0020	2,0	50	16	2	10
0440 0025	2,5	57	19	3	10
0440 0030	3,0	64	21	5	10
0440 0035	3,5	68	24	7	10
0440 0040	4,0	72	27	10	10
0440 0045	4,5	78	29	14	10
0440 0050	5,0	83	31	18	10
0440 0055	5,5	89	34	24	10
0440 0060	6,0	94	36	30	10
0440 0070	7,0	100	39	43	10
0440 0080	8,0	105	42	60	10
0440 0090	9,0	112	45	81	10
0440 0100	10,0	120	48	105	10
0440 0110	11,0	125	51	150	10
0440 0120	12,0	133	55	170	5
0440 0140	14,0	152	68	265	5
0440 0170	17,0	174	78	442	5
0440 0190	19,0	195	87	631	5
0440 0220	22,0	216	100	920	5
0440 0240	24,0	242	112	1238	5
0440 0270	27,0	272	125	1740	5
0440 0300	30,0	310	140	2410	5
0440 0320	32,0	342	155	3080	5



Overview MATADOR-L-Key-Wrenches:

0440			
0441			
0442			
0443			
0444			
0445			
0446			

■ L-Key Wrenches set (Hexagon), Minis



- L-Key Wrenches for inside hexagon socket screws, short type
- Attractive Mini sets with the most important sizes
- With plastic hanger and EAN label
- Fully hardened

- Standards: Similar to ISO 2936 (DIN 911)
- Material: Chrome Vanadium
- Surface: Matt chrome finish


Art. Code	g	
0440 9040	25	1
0440 9030	75	1
0440 9020	175	1

■ L-Key Wrenches set (Hexagon), on ring



- L-Key Wrenches for inside hexagon socket screws, short type
- Sets in practical ring holder
- Individually removable
- Packaging with butterfly hole and EAN label
- Fully hardened

- Standards: Similar to ISO 2936 (DIN 911)
- Material: Chrome Vanadium
- Surface: Matt chrome finish




Art. Code	g	
0440 9080	115	1
0440 9100	270	1

■ L-Key Wrenches set (Hexagon), in slide box



- L-Key Wrenches for inside hexagon socket screws, short type
- Set in robust plastic slide box
- Clearly arranged for quick removal
- With butterfly hole and EAN label
- Fully hardened

- Standards: Similar to ISO 2936 (DIN 911)
- Material: Chrome Vanadium
- Surface: Matt chrome finish



Art. Code	g	
0440 9090	275	1



L-Key Wrenches in metal holder.

Rattle-free storage with big leverage effect.





■ L-Key Wrenches set (Hexagon), in metal holder

- L-Key Wrenches for inside hexagon socket screws, short type
- Set in practical metal holder
- Packaging with butterfly hole and EAN label
- Fully hardened
- Standards: Similar to ISO 2936 (DIN 911)
- Material: Chrome Vanadium
- Surface: Matt chrome finish



Art. Code

0440 9070    0440 2.0 - 3.0 - 4.0 - 5.0 - 6.0 - 8.0 - 10.0 mm



g

410 1

The new softGRIP holder.

Proper storage and quick removal.

softGRIP

Especially soft and flexible TPE material for quick and easy removal of the L-Key Wrenches.



Clear, durable marking of the single L-Key Wrenches.

Integrated hanger for workshop panels etc.




Ergonomic, spherical design with rounded edges for comfortable hold or direct working without removal of the single keys.



■ L-Key Wrenches set (Hexagon), in holder



- L-Key Wrenches for inside hexagon socket screws, short type
- Set in black softGRIP holder
- With hanger and EAN label
- Fully hardened
- Standards: Similar to ISO 2936 (DIN 911)
- Material: Chrome Vanadium
- Surface: Matt chrome finish



Art. Code

softGRIP

0440 9091 0440 1.5 - 2.0 - 2.5 - 3.0 - 4.0 - 5.0 - 6.0 - 8.0 - 10.0 mm



g



295

1

■ L-Key Wrenches (Hexagon), long type



- L-Key Wrenches for inside hexagon socket screws, long type
- Fully hardened
- Standards: Similar to ISO 2936 (DIN 911)
- Material: Chrome Vanadium
- Surface: Matt chrome finish



Art. Code	mm	l mm	l1 mm	g	
0441 0020	2,0	100	16	4	10
0441 0025	2,5	112	19	5	10
0441 0030	3,0	127	21	5	10
0441 0040	4,0	142	27	8	10
0441 0050	5,0	163	31	30	10
0441 0060	6,0	184	36	50	10
0441 0080	8,0	206	42	100	10
0441 0100	10,0	232	48	180	10
0441 0120	12,0	258	61	280	5
0441 0140	14,0	290	68	450	5
0441 0170	17,0	333	78	750	5
0441 0190	19,0	375	87	1275	5



■ L-Key Wrenches (Hexagon), long type, Minis



- L-Key Wrenches for inside hexagon socket screws, long type
- Attractive Mini sets with the most important sizes
- With plastic hanger and EAN label
- Fully hardened
- Standards: Similar to ISO 2936 (DIN 911)
- Material: Chrome Vanadium
- Surface: Matt chrome finish




Art. Code		g	
0441 9031	3 0441 2.0 - 2.5 - 3.0 mm	30	1
0441 9030	3 0441 4.0 - 5.0 - 6.0 mm	115	1
0441 9020	2 0441 8.0 - 10.0 mm	295	1

■ L-Key Wrenches (Hexagon), long type, in holder



- L-Key Wrenches for inside hexagon socket screws, long type
- Set in black softGRIP-holder
- With plastic hanger and EAN label
- Fully hardened

- Standards: Similar ISO 2936 (DIN 911)
- Material: Chrome Vanadium
- Surface: Matt chrome finish




Art. Code

softGRIP

0441 9091



0441 1.5 - 2.0 - 2.5 - 3.0 - 4.0 - 5.0 - 6.0 - 8.0 - 10.0 mm



g

295

1




■ L-Key Wrenches (Hexagon), long, ball point head



- L-Key Wrenches for inside hexagon socket screws, long type
- With ball point head on the long end, use in awkward areas, swivel angle up to 25°
- Fully hardened
- Standards: Similar ISO 2936 (DIN 911)
- Material: Chrome Vanadium
- Surface: Matt chrome finish



Art. Code	mm	l mm	l1 mm	g	
0442 0015	1.5	90	15	3	10
0442 0020	2.0	100	16	4	10
0442 0025	2.5	112	19	5	10
0442 0030	3.0	127	21	5	10
0442 0040	4.0	142	27	8	10
0442 0050	5.0	163	31	30	10
0442 0060	6.0	184	36	50	10
0442 0080	8.0	206	42	100	10
0442 0100	10.0	232	48	180	5
0442 0120	12.0	258	61	280	5
0442 0140	14.0	290	68	450	5
0442 0170	17.0	333	78	750	5
0442 0190	19.0	375	87	1275	5



Art. Code	* AF	l mm	l1 mm	g	
0442 8001	1/16	90	14	2	10
0442 8002	5/64	100	16	3	10
0442 8003	3/32	112	19	5	10
0442 8004	1/8	127	21	8	10
0442 8005	5/32	142	27	15	10
0442 8006	3/16	163	31	21	10
0442 8007	7/32	170	34	31	10
0442 8008	1/4	184	36	51	10
0442 8009	5/16	206	42	78	10
0442 8010	3/8	232	48	154	5
0442 8012	1/2	258	61	190	5







■ **L-Key Wrenches set (hexagon), long, ball point head, in holder**



- L-Key Wrenches for inside hexagon socket screws, long type
 - With ball point head on the long end, use in awkward areas, swivel angle up to 25°
 - Set in black softGRIP-holder
 - With plastic hanger and EAN label
 - Fully hardened
- Standards: Similar ISO 2936 (DIN 911)
 - Material: Chrome Vanadium
 - Surface: Matt chrome finish



Art. Code

0442 9091 9 0442 1,5 - 2,0 - 2,5 - 3,0 - 4,0 - 5,0 - 6,0 - 8,0 - 10,0 mm



g

400 1


isoftGRIP

■ L-Key Wrenches (TORX®), in slide box



- Key Wrenches, for inside TORX® screws, short type
- Permanent arrangement und quick removal
- Set in solid plastic box with slide cover
- With plastic hanger and EAN label
- Fully hardened

- Material: Chrome Vanadium
- Surface: Black phosphated



Art. Code

0443 9090 0443 T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50



g


275 1

■ L-Key Wrenches (TORX®), in holder




- Key Wrenches, for inside TORX® screws, short type
- Set in black softGRIP-holder
- With plastic hanger and EAN label
- Fully hardened

- Material: Chrome Vanadium
- Surface: Matt chrome finish



Art. Code

0443 9091 0443 T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50



g

300 1

softGRIP


■ L-Key Wrenches (TORX®), ball point head, in holder



- Key Wrenches, for inside TORX® screws, short type
- With ball point head on the long end, use in awkward areas, swivel angle up to 25°

- Set in black softGRIP-holder
- With plastic hanger and EAN label
- Fully hardened

- Material: Chrome Vanadium
- Surface: Matt chrome finish



Art. Code


0444 9090 0444 T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50



g

300 1


softGRIP



Powerful tightening with the MATADOR 2C T-Handle.



For special requirements.

For special requirements.




Go-through blade made of special Chrome Vanadium alloy.

Hard, blue turning zone made of special plastic for quick working with low friction.




With hanging hole.


Soft and anti-slip black grip zone made of TPE plastic for secure hold with maximum pressure.



Asymmetric wings for high torque transmission



Especially ergonomic design



Comfortable hold thanks to exactly formed grips



2C-T-grip-L-Key Wrenches (Hexagon)

2K



- T-grip-L-Key Wrenches for inside hexagon screws, long type
- With ball point head on the long end, use in awkward areas, swivel angle up to 25°
- Fully hardened
- With 2 component handle with hard turning zone and soft grip zone With hanging hole

- Material: Chrome Vanadium
- Surface: Matt chrome finish



Art. Code	mm	l mm	l1 mm	l2 mm	l3 mm	g
0445 0020	2.0	138	100	9	65	18
0445 0030	3.0	138	100	9	65	24
0445 0040	4.0	196	150	10	78	48
0445 0050	5.0	196	150	10	78	63
0445 0060	6.0	256	200	15	97	91
0445 0080	8.0	256	200	15	97	170
0445 0100	10.0	256	200	15	97	242


2C-T-grip-L-Key Wrenches set (Hexagon)

2K  

- Set of Key Wrenches 2C-T-grip-L-Key wrenches for inside hexagon screws, long type, 7-pcs
- The most important sizes in one set
- Set in practical roll bag made of black artificial leather, with strap fastener and 10 compartments (size: 460 x 320 mm)



		
Art. Code	g	
0445 9070    0445 2 - 3 - 4 - 5 - 6 - 8 - 10 mm	800	1








2C-T-grip-L-Key Wrenches (TORX®)

2K 

- T-grip-L-Key Wrenches for inside TORX® screws, long type
- Blade fully hardened
- With 2 component handle with hard turning zone and soft grip zone With hanging hole
- With hanging hole

- Material: Chrome Vanadium
- Surface: Matt chrome finish









							
Art. Code		l mm	l1 mm	l2 mm	l3 mm	g	
0446 0100 T10		138	100	12	68	24	10
0446 0150 T15		138	100	12	68	24	10
0446 0200 T20		138	100	12	68	31	10
0446 0250 T25		145	100	15	83	48	10
0446 0270 T27		145	100	15	83	53	10
0446 0300 T30		207	150	15	97	100	10
0446 0400 T40		207	150	15	97	120	10
0446 0450 T45		207	150	15	97	140	10
0446 0500 T50		207	150	15	97	180	10

2C-T-grip-L-Key Wrenches set (TORX®)


2K  

- Set of Key Wrenches 2C-T-grip-L-Key wrenches for inside hexagon screws, long type, 9-pcs
- The most important sizes in one set
- Set in practical roll bag made of black artificial leather, with strap fastener and 10 compartments (size: 460 x 320 mm)



		
Art. Code	g	
0446 9090    0446 T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50	830	1


MATADOR 2-Component Screwdrivers. Spare the hand for powerful screwing. Especially ergonomic design for effortless working.



Soft and anti-slip grey grip zone made of TPE plastic for secure hold with maximum pressure.


Hard, black turning zone made of special plastic for quick working with low friction.

Burnished tip for precise, durable fitting into the screw.



With spheric handle end for comfortable support when high torques are applied.

Protection from slipping and rolling away through hex design.



Chrome-plated blades made of high-alloyed special steel for optimal corrosion protection.



2-component handles are more than 2 colors.

Comprehensive research into the gripping characteristics and flow of movement when working with screwdrivers have shown that the use of different materials can considerably relieve the muscles in the hand.


MATADOR 2-component handles thus consist of hard and soft plastic materials making it possible to work without fatigue to a large extend.

The special plastic material of the black movement component offers a variety of advantages: It is highly impact-resistant, splinterproof, insulating, resistant to oil and solvents, heat-resistant and flame-resistant. Moreover it has a low weight and is suitable for use within a wide temperature range (-35°C up to +70°C).

For quick and forceful tightening.

The hard component allows a forceful and quick tightening with low friction. Thanks to the bigger diameter of the hard component the screwdriver can be turned in the hand like a wheel.

The soft TPE component by contrast has an anti-slip effect and allows powerful working.



Clear marking and practical details.

All MATADOR 2C screwdrivers have an additional identification of the tool profile at the handle end, so that the required screwdriver can quickly be found in the tool box.



The borehole at the handle end allows the insertion of a sliding bar for loosening seized screws or can be used as hanging hole to improve tool order at the tools panel.

The shape follows the human hand.



The spheric shape of the MATADOR 2-component handles has been designed in such a way that the human hand can encompass the handle optimally.

With that the hand's force is spread over a maximum contact surface so that pressure points can be avoided and an optimal transfer of forces is ensured.


Ergonomics you can touch!

2C-Screwdriver (Slot)


2K 

- Classic workshop screwdrivers with shovelshaped tip
- With 2-component handle with hard turning zone and soft grip zone
- With burnished tip
- With hanging hole

- Standards: DIN ISO 2380-2 / tip to DIN ISO 2380-1 Form A



Art. Code	mm	mm	l mm	l1 mm	l2 mm	g	
0615 0640	0,6	4,0	160	75	85	40	10
0615 0850	0,8	5,0	195	100	95	55	10
0615 1055	1,0	5,5	230	125	105	70	10
0615 1265	1,2	6,5	255	150	105	85	10
0615 1280	1,2	8,0	295	175	120	128	5
0615 1610	1,6	10,0	370	250	120	166	5
0615 2012	2,0	12,0	370	250	120	166	5




Precision Screwdrivers (slotted)


2K 

- Screwdrivers for electronics engineers with plane parallel tip
- With 2-component handle with hard turning zone and soft grip zone
- With burnished tip
- With hanging hole

- Standards: DIN ISO 2380-2 / tip to DIN ISO 2380-1 Form B



Art. Code	mm	mm	l mm	l1 mm	l2 mm	g	
0660 0425	0,4	2,5	160	75	85	33	10
0660 0530	0,5	3,0	185	100	85	35	10
0660 0840	0,8	4,0	195	100	95	50	10
0660 0850	0,8	5,0	245	150	95	81	5





2C-Screwdriver (PH)

2K 



- Classical screwdriver for Cross head screws Phillips-Recess
- With 2-component handle with hard turning zone and soft grip zone
- With black phosphated tip
- With hanging hole

- Standards: DIN ISO 8764 / tip to DIN ISO 8764-1 PH
- Material Blade: Chrome Vanadium
- Surface Blade: Matt chrome finished



Art. Code		l mm	l1 mm	l2 mm	g	
0655 0000	PH 0	175	60	95	34	10
0655 0010	PH 1	175	80	95	34	10
0655 0020	PH 2	205	100	105	77	10
0655 0030	PH 3	270	150	120	145	10



2C-Screwdriver (PZ)

2K 



- Classical screwdriver for Pozidriv screws
- With 2-component handle with hard turning zone and soft grip zone
- With black phosphated tip
- With hanging hole

- Standards: DIN ISO 8764 / tip to DIN ISO 8764-1 PZ
- Material Blade: Chrome Vanadium
- Surface Blade: Matt chrome finished




Art. Code		l mm	l1 mm	l2 mm	g	
0657 0000	PZ 0	175	80	95	34	10
0657 0010	PZ 1	175	80	95	34	10
0657 0020	PZ 2	205	100	105	77	10
0657 0030	PZ 3	270	150	120	145	10

Offset Screwdrivers

- For working in places with difficult access

- Material: Chrome Vanadium
- Surface: nickel plated



Art. Code	mm	mm	l mm	g	
0627 0640	0.6	4.0	100	9	10
0627 1055	1.0	5.5	125	22	10
0627 1280	1.2	8.0	150	55	10
0628 1020		PH 1 - PH 2	100	23	10
0628 3040		PH 3 - PH 4	150	70	10




2C-Screwdriver (TORX®)

2K 

- Workshop screwdriver for inside TORX® screws
- With 2-component handle with hard turning zone and soft grip zone
- With black phosphated tip
- With hanging hole

- Material Blade: Chrome Vanadium
- Surface Blade: Matt chrome finished




Art. Code	l mm	l1 mm	l2 mm	g	
0620 0060 T6	170	75	95	35	5
0620 0070 T7	170	75	95	35	5
0620 0080 T8	170	75	95	35	5
0620 0090 T9	170	75	95	35	5
0620 0100 T10	175	80	95	37	5
0620 0150 T15	175	80	95	40	5
0620 0200 T20	195	100	95	44	5
0620 0250 T25	195	100	95	48	5
0620 0270 T27	220	115	105	71	5
0620 0300 T30	220	115	105	85	5
0620 0400 T40	250	130	120	125	5

Screwdriver, short (Slot)

- For working in places with difficult access
- With black phosphated tip
- With hanging hole

- Material Blade: Molybdän Vanadium
- Surface Blade: Matt chrome finished

Art. Code	mm	mm	l mm	l1 mm	l2 mm	g	
0640 0840	0.8	4.0	75	25	50	36	10
0640 1265	1.2	6.5	75	25	50	42	10



Screwdriver, short (PH)

- For working in places with difficult access
- With black phosphated tip
- With hanging hole

- Material Blade: Molybdän Vanadium
- Surface Blade: Matt chrome finished

Art. Code	l mm	l1 mm	l2 mm	g	
0641 0010 PH 1	75	25	50	38	10
0641 0020 PH 2	75	25	50	41	10



MATADOR Screwdriver with striking cap.


Punch the head.

Ergonomic handle for effortless working.



Hexagon blade for spanner support.


Burnished tip for precise, durable fitting into the screw.



■ Screwdrivers with wooden handle (Slot)



- Workshop screwdrivers with shovel-shaped tip
 - With go-through blade and striking cap
 - From 1,0 x 5,5 mm with hexagon blade for torque increase together with a spanner
 - Burnished tip
 - Wooden handle made of sealed beech wood, handle end protected from damage through hammer impact by a leather cap
 - Forged round blade
- Standards: DIN ISO 2380-2 / tip to DIN ISO 2380-1 Form A
 - Material Blade: Chrome Vanadium
 - Surface Blade: Matt chrome finished




Art. Code	mm	mm	a mm	l mm	l1 mm	l2 mm	g	
0600 0635	0,6	3,5		170	75	95	50	10
0600 1610	1,6	10,0	13	300	175	125	206	10
0600 2514	2,5	14,0	16	380	250	130	296	5

■ Screwdrivers with wooden handle (Cross head PH)



- Workshop screwdrivers
- With go-through blade and striking cap
- With hexagon blade for torque increase together with a spanner
- Burnished tip
- Wooden handle made of sealed beech wood, handle end protected from damage through hammer impact by a leather cap
- Forged round blade

- Standards: DIN ISO 8764-2 / tip to DIN ISO 8764-1 PH
- Material Blade: Chrome Vanadium
- Surface Blade: Matt chrome finished



Art. Code		a mm	l mm	l1 mm	l2 mm	g	
0650 0010	PH 1	6	175	80	95	58	10
0650 0020	PH 2	10	210	100	110	92	10
0650 0030	PH 3	13	270	150	120	165	10
0650 0040	PH 4	16	330	200	130	291	5



Screwdriver Sets.

Practical and proven assortments.



2C-Screwdriver set L

2K



- 6 pcs. set of screwdrivers
- All important sizes in one set

- Set in practical, transparent polypropylene box: robust packaging, stackable and easy to stock, reclosable, reusable

Art. Code	g	
0680 9060	520	1
0615 0.6 x 4.0 x 75 - 0.8 x 5.0 x 100 - 1.0 x 5.5 x 125 - 1.2 x 6.5 x 150 mm		
0655 PH 1 x 80 - PH 2 x 100 mm		

2C-Screwdriver set XL

2K



- 8 pcs. set of screwdrivers including voltage
- tester and carburettor screwdriver
- All important sizes in one set

- Set in practical, transparent polypropylene box: robust packaging, stackable and easy to stock, reclosable, reusable







Art. Code	g	
0680 9080	590	1
0615 0.6 x 4.0 x 75 - 0.8 x 5.0 x 100 - 1.0 x 5.5 x 125 - 1.2 x 6.5 x 150 mm		
0655 PH 1 x 80 - PH 2 x 100 mm		
0635 0.5 x 3.0 x 65 mm		
0640 0.8 x 4.0 x 25 mm		

2C-Screwdriver set (TORX®)

2K  

- 6 pcs. set of screwdrivers for recessed TORX® head screws
- All important sizes in one set
- Set in practical, transparent polypropylene box: robust packaging, stackable and easy to stock, reclosable, reusable











		
Art. Code	g	
0620 9060 	520	1
 0620  T10 - T15 - T20 - T25 - T27 - T30		




Wooden handle Screwdriver set

- 6 pcs. set of screwdrivers with wooden handle, with go-through blade and striking cap
- All important sizes in one set
- Set in practical, transparent polypropylene box: robust packaging, stackable and easy to stock, reclosable, reusable



		
Art. Code	g	
0650 9060 	530	1
 0600  0.8 x 4.5 x 90 - 1.0 x 5.5 x 100 - 1.2 x 8.0 x 150 - 1.6 x 10 x 175 mm		
 0650  PH 1 x 80 - PH 2 x 100 mm		



Precision Screwdrivers with 2-component handle.

Indispensable for all precision-mechanical work.




■ 2C-Precision screwdriver (Slot)

2K



- For all precision-mechanical work
- With turnable cap and 2-component handle with hard turning zone and soft grip zone
- With burnished tip




Art. Code	mm		l mm		l1 mm		l2 mm		g	
	mm	mm	l mm	l1 mm	l2 mm	g	g	g	g	
0661 0251	0.25	1.0	150	50	100	10	10			
0661 0420	0.40	2.0	150	50	100	10	10			
0661 0530	0.50	3.0	150	50	100	10	10			

■ 2C-Precision screwdriver (PH)

2K



- For all precision-mechanical work
- With turnable cap and 2-component handle with hard turning zone and soft grip zone
- With burnished tip




Art. Code	mm		l mm		l1 mm		l2 mm		g	
	mm	mm	l mm	l1 mm	l2 mm	g	g	g	g	
0662 0000	PH 00		150	50	100	10	10			
0662 0001	PH 0		150	50	100	10	10			
0662 0010	PH 1		150	50	100	10	10			


2C-Precision screwdriver (TORX®)

2K 

- For all precision-mechanical work
- With turnable cap and 2-component handle with hard turning zone and soft grip zone
- With burnished tip



Art. Code	l mm	l1 mm	l2 mm	g	
0663 0050 T5	150	50	100	10	10
0663 0060 T6	150	50	100	10	10
0663 0070 T7	150	50	100	10	10
0663 0080 T8	150	50	100	10	10
0663 0100 T10	150	50	100	10	10
0663 0150 T15	150	50	100	10	10



2C-Precision screwdriver set

- 6 pcs. set of precision screwdrivers
- All important sizes in one set
- Set in practical, transparent polypropylene box: robust packaging, stackable and easy to stock, reclosable, reusable


Art. Code	g	
0662 9060 	70	1
 0661  0.25 x 1.0 - 0.4 x 2.0 - 0.5 x 3.0 mm		
 0662  PH 00 - PH 0 - PH 1		



2C-Precision screwdriver set (TORX®)

2K  

- 6 pcs. set of precision screwdrivers for recessed TORX® head screws
- All important sizes in one set
- Set in practical, transparent polypropylene box: robust packaging, stackable and easy to stock, reclosable, reusable

Art. Code	g	
0663 9060 	70	1
 0663  T5 - T6 - T7 - T8 - T10 - T15		



Reversible Screwdrivers by MATADOR.


Handy helpers to go.

4 penny

Reversible bits made of tool steel.




Practical shirt clip.



■ Mini-Screwdriver 4in1


- Exceptionally practical pen screwdriver
- With 2 removable caps, each with a removable bit
- 4 screwdrivers in one tool
- Provides window for quick identification of the inserted bit
- A perfect combination of precise technology and standard screwdriver
- Suitable for glasses, mobile phones, remote controls, computers, toys, bicycles, cars and all kinds of repair in general
- Blade made of tool steel



Art. Code	mm		l mm	g	
0664 0001	1,5 - 3,0	PH 00 - PH 0	130	10	10

■ Reversible Screwdriver ECO

- Practical reversible screwdriver in standard quality (on-board tool)
- Handle made of black plastic
- Blade made of tool steel




Art. Code	mm		l mm	l1 mm	l2 mm	g	
0694 0001	1,2 x 6,0	PH 2	165	65	100	45	10

Impact Screwdriver and Bits.

For turning every screw.

Very handy, only 185 mm total length including bit.



With 12.5 mm (1/2") square drive for sockets or bits (with adaptor).




Including bit adaptor.



Hand Impact Screwdriver Set



- For loosening jammed screws or nuts
- Set with the most important bits with 8 mm (5/16") external hexagon
- In solid metal case with MTS inlay



Art. Code	l mm	g	
0696 0001	160	1300	1




- 0696
- 7026 1,6 x 8,0 x 35 - 1,6 x 10,0 x 35 - 2,0 x 12,0 x 35 mm
- 7027 PH 2 - PH 3 - PH 4
- 7028 5 - 6 - 8 mm
- 7032 T40 - T45 - T50 - T55



Hex Power Shank

1/4 6.3 mm 1/4 6.3 mm

- For use with power screwdrivers




Art. Code	mm	"	mm	"	l mm	g	
2085 0001	6.3	1/4	6.3	1/4	50	15	5

Hex Power Shank

1/4 6.3 mm 3/8 10 mm

- For use with power screwdrivers




Art. Code	mm	"	mm	"	l mm	g	
3085 0001	6.3	1/4	10.0	3/8	75	25	5

Hex Power Shank

1/4 6.3 mm 1/2 12.5 mm

- For use with power screwdrivers




Art. Code	mm	"	mm	"	l mm	g	
4085 0001	6.3	1/4	12.5	1/2	75	30	5

Bitholder

1/4 6.3 mm 1/4 6.3 mm

- To use 1/4"-Bits with heavy-duty applications, e.g. AEG, Bosch, Metabo, Holzher, Black & Decker
- With magnet



Art. Code	mm	"	mm	"	l mm	g	
7040 0001	6.3	1/4	6.3	1/4	58	27	5




MATADOR torsion bitbox.

For cordless and impact screwdrivers.



Bit Assortment TORSION

- Assortment with 30 Bits
- Superior lifetime
- Equally suitable for cordless and impact screwdrivers
- Absorbs the power peaks and thus ensures more elasticity
- In plastic box
- With belt clip



Art. Code	b mm	a mm	c mm	g	
7052 0003	70	105	40	95	1
7026	6.3 (1/4) 3 - 4 - 5 - 6 mm				
7027	6.3 (1/4) PH 1 - 2 x PH 2 - PH 3				
7027	6.3 (1/4) PZ 1 - 2 x PZ 2 - PZ 3				
7028	6.3 (1/4) 3 - 4 - 5 - 6 mm				
7032	6.3 (1/4) T10 - T15 - T20 - T25 - T27 - T30 - T40				
7033	6.3 (1/4) T10 - T15 - T20 - T25 - T27 - T30 - T40				
2062	6.3 (1/4) 60 mm				
2062	6.3 (1/4)				

